


Chemistry GCSE to A level

Bridging Work Year 11 into 12 for 2022/23



Name:	-
Tutor Group:	-
Teacher:	

Welcome to Bentley Wood Chemistry!

Studying Chemistry provides you with a privileged insight to the processes that define our everyday world. The skills you will develop as a chemist are highly transferable enabling you to continue your academic trajectory in a multitude of different fields. You will use and develop powers of critical and creative thinking and demonstrate your chemical knowledge through a diverse range of practical experiments.

Course content

The course allows you to develop a myriad of skills in the classroom by seamlessly integrating these throughout the course topics. These can be in the form of practical work as well as presentational skills. Learning is sequenced to allow you to cumulatively build on your knowledge and take ownership of your learning as you progress from topic to topic. The innovative nature of Chemistry means that this field is constantly evolving, and are students are encouraged to complement their learning with wider, up-to-date research in order to expand their contextual appreciation of the subject.

Methods of study

Chemistry lessons are varied however, we aim to incorporate as many practical experiences as part of our lessons as possible. This is so that students can appreciate the concomitant link between theoretical chemical work and experimental research. This is particularly crucial for those continuing with scientific learning in higher education. You will receive regular feedback from class teachers throughout your studies and will also evaluate your learning through peer assessment, group work, class discussions, presentations, experimentation and research.

How will it be examined?

Our exam board is AQA and our students complete the Linear Chemistry qualification; the AS qualification will not count towards the final grade of an A Level. However, there are opportunities throughout the course for learning to be regularly examined and for you to reflect on where your learning currently stands and how to make progress going forward.

Career opportunities

A qualification in Chemistry is in high demand and will set you apart in any field you continue your studies in. Many courses such as medicine, engineering and dentistry require an A Level in Chemistry as a prerequisite for the course. What careers could you consider in the future with chemistry? Analytical Chemistry, Banking, Atmospheric Chemistry, Engineering, Forensic Science, Marine Chemistry, Medicinal Chemistry, Accounting, Medicine, Veterinary Medicine, and Patent Attorney – these are just a few! Many employers value the analytical and creative problem solving skills that are developed at Chemistry A-level.

What is bridging work?

The bridging work has been designed to help you bridge the gap between your GCSE science studies and the AS Chemistry course. This work will be essential for you to complete prior to your studies with us in September.

Why is bridging work important?

Bridging work for AS/A Level chemistry is crucial to help you start approaching scientific problems creatively and innovatively as scientists do in everyday life! This work should also help you gauge whether this is the best subject choice for you – you only have four choices so getting this right will be important for your academic career in sixth form.

This booklet is separated into two sections:

- 1. Section 1: Subject based knowledge aimed at building cumulatively on your GCSE chemistry knowledge.
- 2. Section 2: Skills based knowledge transferable skills that are vital for your success at A Level chemistry.

There will also be an optional research task to complete for those who would like to stretch their learning even further before our September start!

Is the bridging work assessed?

In short – yes! This will be the first assessed piece of work your AS teacher will mark. It will enable us to understand your strengths and your areas for improvement. It will also provide us with the opportunity to gauge your work ethic and whether this is to the standard we would expect to see at AS/A Level Chemistry.

AS/A Level Chemistry

Studying AS/A Level Chemistry will develop your organisational skills as well as your subject knowledge. You will need to have the ability to work well autonomously as we will expect additional reading around topics – this will ensure you can perform the best you can throughout your studies.

Across the two-week timetable, you will have twelve fifty minute lessons where we will be embedding theoretical learning with practical work. This will enable you to prepare for undergraduate practical skills in Higher Education should you choose to continue your studies in chemistry.

We study AQA A Level Chemistry at Bentley Wood. To support your learning, you will have access to digital Chemistry A Level textbooks to compliment your studies. There are other resources we recommend to supplement and extend your learning and revision during the exam periods:

- https://www.physicsandmathstutor.com/chemistry-revision/
- https://www.savemyexams.co.uk/a-level-chemistry-aqa/
- https://www.chemguide.co.uk/
- The Royal Society of Chemistry (rsc.org)
- https://www.cgpbooks.co.uk/secondary-books/as-and-a-level/science/chemistry/car73-a-level-chemistry-aqa-year-1-2-complete-revi
- Recommended podcasts for wider learning: https://www.chemistryworld.com/podcasts
- Recommended reading: Chemistry Review

Section 1: Subject Based Knowledge

Q1.		cudent investigated the reactions of copper carbonate and copper oxide with dilute rochloric acid.		
	In b	oth reactions one of the products is copper chloride.		
	(a)	A student wanted to make $11.0 \ g$ of copper chloride. The equation for the reaction is:		
		$CuCO_3 + 2HCI \rightarrow CuCl_2 + H_2O + CO_2$		
		Calculate the mass of copper carbonate the student should react with dilute hydrochloric acid to make $11.0\mathrm{g}$ of copper chloride.		
		Mass of copper carbonate =g		
				(4)
	(b)	The percentage yield of copper chloride was 79.1 %.		
		Calculate the mass of copper chloride the student actually produced.		
		Actual mass of copper chloride produced = g		(2)
	(c)	Look at the equations for the two reactions:		
		Reaction 1 $CuCO_3(s) + 2HCl(aq) \rightarrow CuCl_2(aq) + H_2O(l) + CO_2(g)$		
		Reaction 2 $CuO(s) + 2HCI(aq) \rightarrow CuCI_2(aq) + H_2O(I)$		
		The percentage atom economy for a reaction is calculated using:		
		Relative formula mass of desired product from equation × Sum of relative formula masses of all reactants from equation	0	
		Calculate the percentage atom economy for Reaction 2.		


	Percentage atom economy = %)
(d)	The atom economy for Reaction 1 is 68.45 %. Compare the atom economies of the two reactions for making copper chloride.	
	Give a reason for the difference.	
	(Total 10 r	mai
		mai
	question is about Group 7 elements.	mai
This		
This	question is about Group 7 elements. Irine is more reactive than iodine. Name the products formed when chlorine solution reacts with potassium iodide	
This	question is about Group 7 elements. Irine is more reactive than iodine. Name the products formed when chlorine solution reacts with potassium iodide	
This Chlo (a)	question is about Group 7 elements. rine is more reactive than iodine. Name the products formed when chlorine solution reacts with potassium iodide solution.	

Bromine reacts with methane in sunlight. The diagram below shows the displayed formulae for the reaction of bromine with methane. H H C H H C H H C H H The table below shows the bond energies and the overall energy change in reaction. C H H H C H H C B C H B C B C B C B C							
The diagram below shows the displayed formulae for the reaction of bromine we methane. H H C H H C H H C B H C B H C B H C B H C B C B							
The diagram below shows the displayed formulae for the reaction of bromine we methane. H H C H H C H H C B H C B H C B H C B H C B C B							
The diagram below shows the displayed formulae for the reaction of bromine we methane. H H C H H C H H C B H C B H C B H C B H C B C B							
The diagram below shows the displayed formulae for the reaction of bromine we methane. H H C H H C H H C B H C B H C B H C B H C B C B							
The diagram below shows the displayed formulae for the reaction of bromine we methane. H H C H H C H H C B H C B H C B H C B H C B C B							
methane. H H C H H C H H C H H H The table below shows the bond energies and the overall energy change in reaction. C H Br Rr Rr C Rr H Br Overall energy	romine react	s with me	ethane in su	ınlight.			
H H H H H H H H H H	_	pelow sho	ows the disp	olayed forn	nulae for t	he reaction of brom	nine with
The table below shows the bond energies and the overall energy change in reaction. Overall energy Overall energy					н		
The table below shows the bond energies and the overall energy change in reaction. Overall energy Overall energy	H-C-	-H +	Br — Br		H-C-	-Br + H—-Br	
reaction. C—H Br—Br C—Br H—Br Overall energy	П — Н	X411 X255	ы ы		 	DI · II DI	
C—H Br—Br C—Br H—Br Overall energy		low show	s the bond	energies a	and the ov	verall energy chang	ge in the
	he table bel						
l cliange				C—Br	H—Br	Overall energy change	
Energy in kJ/mol 412 193 X 366 -51		С—Н	Br—Br				
Calculate the bond energy X for the C—Br bond.	eaction. Energy in			х	366	-51	
Use the diagram and the table above.	Energy in	412	193			-51	
	Energy in kJ/mol	412 bond ene	193 ergy X for th	ne C—Br bo		-51	

		Bond energy X =	kJ/mol
			(Total 11 m
	ohite and diamond are ohite and diamond have differer	different forms of the ont properties.	element carbon.
The	structures of graphite and diam	ond are shown below.	
			_
	Graphite	Diamond	
(a)	Graphite is softer than diamon	nd.	
	Explain why.		
			-

	Explain why.
	(Total 7 ma
	(
This	question is about copper.
(a)	
	Copper can be extracted by smelting copper-rich ores in a furnace.
	Copper can be extracted by smelting copper-rich ores in a furnace. The equation for one of the reactions in the smelting process is:
	The equation for one of the reactions in the smelting process is:
	The equation for one of the reactions in the smelting process is: $Cu_2S(s) + O_2(g) \longrightarrow 2 \ Cu(s) + SO_2(g)$ Explain why there would be an environmental problem if sulfur dioxide gas
	The equation for one of the reactions in the smelting process is: $Cu_2S(s) + O_2(g) \longrightarrow 2 \ Cu(s) + SO_2(g)$ Explain why there would be an environmental problem if sulfur dioxide gas
	The equation for one of the reactions in the smelting process is: $Cu_2S(s) + O_2(g) \longrightarrow 2 \ Cu(s) + SO_2(g)$ Explain why there would be an environmental problem if sulfur dioxide gas
	The equation for one of the reactions in the smelting process is: $Cu_2S(s) + O_2(g) \longrightarrow 2 \ Cu(s) + SO_2(g)$ Explain why there would be an environmental problem if sulfur dioxide gas
	The equation for one of the reactions in the smelting process is: $Cu_2S(s) + O_2(g) \longrightarrow 2 \ Cu(s) + SO_2(g)$ Explain why there would be an environmental problem if sulfur dioxide gas

(b) The impure copper produced by smelting is purified by electrolysis, as shown below.



Copper atoms are oxidised at the positive electrode to Cu²⁺ ions, as shown in the half equation.

$$Cu(s)$$
 — $Cu^{2+}(aq) + 2e^{-}$

The Cu ²⁺ ions are attracted to the negative electrode, where they are reduced to produce copper atoms.
Write a balanced half equation for the reaction at the negative electrode.
Suggest a suitable electrolyte for the electrolysis.

(c) Co

(4) (Total 9 marks) Q5. Scientists found that a compound contained: 22.8% sodium; 21.8% boron; and 55.4% oxygen. Use the percentages to calculate the empirical formula of the compound. To gain full marks you must show all your working. Empirical formula = _____

(Total 5 marks)


Q6.

Marble chips are mainly calcium carbonate (CaCO₃).

A student investigated the rate of reaction between marble chips and hydrochloric acid (HCI).

Figure 1 shows the apparatus the student used.

Figure 1



Complete and balance the equation for the reaction between marble chips and hydrochloric acid.

(b) The table below shows the student's results.

Time in s	Volume of gas in dm ³
0	0.000
30	0.030
60	0.046
90	0.052
120	0.065
150	0.070
180	0.076
210	0.079
240	0.080
270	0.080

On Figure 2:

- Plot these results on the grid.
- Draw a line of best fit.

Figure 2

Volume of gas in dm ³					
			e in c		

Time in s

(4)

(c) Sketch a line on the grid in Figure 2 to show the results you would expect if the experiment was repeated using 20 g of smaller marble chips.

Label this line A.

(2)


(d)	Explain, in terms of particles, how and why the rate of reaction changes of reaction of calcium carbonate with hydrochloric acid.	during the
		-
		-

(4)

(e) Another student investigated the rate of reaction by measuring the change in mass.

Figure 3 shows the graph plotted from this student's results.





Use **Figure 3** to calculate the mean rate of the reaction up to the time the reaction is complete.

Give your answer to three significant figures.				

Mean rate of reaction = _____ g / s

(f)	Use Figure 3 to determine the rate of reaction at 150 seconds.	
	Show your working on Figure 3 .	
	Give your answer in standard form.	
	Rate of reaction at 150 s =	g/s
		(4)
		(Total 20 marks)

1. Convert these numbers to standard form:

Section 2: Skills Based Knowledge

a	0.003	
b	5 000	
C C	0.4	
d	7 000 000	
e f	20 000 0.0005	
ı	0.0005	
2. Cor	vert these numbers in non-standard form:	
а	6×10^{-6}	
b	6×10^{6}	
С	1×10^{-3}	
d	1×10^3	
e	8×10^{5}	
f	8×10^{-5}	
3. Rou	and each of the following numbers to the required number of significant figures:	
a)	1 478 258 (5sf)	
b)	0.08956 (3sf)	
c)	7.00198 (2sf)	
C)	7.50156 (231)	
		••••
d)	4 (3sf)	
ω,	. (551)	
e)	0.01 (4sf)	
-,		
f)	0.02314 (2sf)	
•	` ,	

4. Balance the following equations:

1) Ca +
$$O_2 \rightarrow CaO$$

2)
$$Na_2O + H_2O \rightarrow NaOH$$

3) Al +
$$O_2 \rightarrow Al_2O_3$$

4) Na +
$$Cl_2 \rightarrow NaCl$$

5)
$$Na_2CO_3 \rightarrow Na_2O + CO_2$$

6)
$$K + O_2 \rightarrow K_2O$$

7)
$$C_4H_8 + O_2 \rightarrow CO_2 + H_2O$$

8)
$$Fe_2O_3 + HCl \rightarrow FeCl_3 + H_2O$$

9)
$$F_2$$
 + KBr \rightarrow KF + Br₂

$$10) \hspace{1cm} C_5H_{12} \hspace{1.2cm} + \hspace{1.2cm} O_2 \hspace{1.2cm} \rightarrow \hspace{1.2cm} CO_2 \hspace{1.2cm} + \hspace{1.2cm} H_2O$$

11)
$$NH_3 + O_2 \rightarrow NO + H_2O$$

12)
$$HNO_3 \rightarrow NO_2 + H_2O + O_2$$

Go Further: Research Task!

Choose one (or more) of the following pharmaceutical drugs and find out:

- 1. Common brand names
- 2. Class of drug
- 3. Brief history of discovery
- 4. State the chemical functional group found in the compound
- 5. Uses
- 6. List any side effects

Chloroquine	Thalidomide	Warfarin
HIN L		OH C